


GUARDIAN LST - PRICE LIST - UK 03/2025


DIMENSIONS (in mm)

If ordering Hybrid radiators, please also see separate DBH price list


Guardian wall model (WT)




Guardian floor model (FT)




Example with Jaga valve: to the wall.



Example with Jaga valve: to the floor.



Example with Jaga Pro valve: to the floor - WT only.




Depth mm	Connection to floor d (mm)	Connection to wall A (mm)	Clearance h (mm)
119	52	29	100
169	77	53	120
219	103	79	150

CONNECTION

Standard connection:

Casing features multiple knockouts to suit high and low level valves, on either left or right. On FT models there are additional knockouts to allow for pipework or skirting at a low level.

High level valve details: see "Valves and TRVs".



Please note when using the low level valve configuration in conjunction with FT casing model, clearance will be required between the casing side panel and the skirting (assuming skirting is to be fitted tight to casing) to allow for casing removal.

ORDERING CODE

code	height	length	depth	colour	model
GUAR .	040	064	119 .	233	/WT

For example using ordering code GUAR 040 064 119 233 / WT will result in a Guardian wall model with white casing, 400mm high, 640mm long and 119 deep.

COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colour:

- Traffic White RAL 9016 (233), glossy finish.

DELIVERY

All items are stocked except casing heights 700 and lengths 1640 and 2040 which are made to order.

All elements and brackets are in stock.

Contact the office for availability on larger quantities.



HEIGHT 400 - WT WALL MODEL - OUTPUTS & PRICES

GUAR.040 LLL Dep.233/WT

L mm	TWIN				WEIGHT	WATER CONTENT	PRICE
	Depth mm	Type	Watts 75/65	Watts 55/45	kg	l	£ st. colour
440	119	11	234	109	4.5	0.53	351.00
	169	16	351	164	5.9	0.79	415.80
	219	21	446	206	7.1	1.06	492.50
640	119	11	467	218	6.6	0.80	410.40
	169	16	703	329	8.6	1.19	493.40
	219	21	893	412	10.4	1.60	593.70
840	119	11	701	327	8.7	1.06	505.60
	169	16	1054	493	11.3	1.58	617.80
	219	21	1339	618	13.6	2.13	755.10
1040	119	11	934	436	10.7	1.33	585.60
	169	16	1406	657	13.9	1.98	724.70
	219	21	1786	825	16.9	2.66	897.00
1240	119	11	1168	545	12.8	1.60	653.40
	169	16	1757	822	16.6	2.38	815.80
	219	21	2232	1030	20.1	3.19	1018.20
1440	119	11	1402	654	14.8	1.86	731.60
	169	16	2108	986	19.3	2.77	917.90
	219	21	2678	1236	23.3	3.72	1151.50
1640	119	11	1635	763	16.9	2.13	828.40
	169	16	2460	1150	22.0	3.17	1051.70
	219	21	3125	1443	26.6	4.26	1274.50
1840	119	11	1869	872	19.0	2.39	923.10
	169	16	2811	1314	24.7	3.56	1172.80
	219	21	3571	1649	29.8	4.79	1489.80
2040	119	11	2102	981	21.0	2.66	1038.10
	169	16	3163	1479	27.3	3.96	1310.50
	219	21	-	-	-	-	-

EN442 output at 20°C room temperature

HEIGHT 500 - WT WALL MODEL - OUTPUTS & PRICES

GUAR.050 LLL Dep.233/WT

L mm	TWIN				WEIGHT	WATER CONTENT	PRICE
	Depth mm	Type	Watts 75/65	Watts 55/45	kg	l	£ st. colour
440	119	11	259	123	5.2	0.53	374.00
	169	16	394	187	6.6	0.79	445.40
	219	21	522	241	7.2	1.06	530.10
640	119	11	519	246	7.6	0.80	438.50
	169	16	788	374	9.6	1.19	527.50
	219	21	1044	482	10.5	1.60	634.30
840	119	11	778	368	9.9	1.06	539.40
	169	16	1181	560	12.6	1.58	656.80
	219	21	1566	723	13.8	2.13	800.30
1040	119	11	1038	491	12.3	1.33	624.10
	169	16	1575	747	15.6	1.98	768.80
	219	21	2088	963	17.1	2.66	947.30
1240	119	11	1297	614	14.6	1.60	698.20
	169	16	1969	934	18.6	2.38	864.70
	219	21	2610	1204	20.4	3.19	1070.90
1440	119	11	1556	736	17.0	1.86	783.20
	169	16	2363	1121	21.6	2.77	975.20
	219	21	3132	1445	23.7	3.72	1214.10
1640	119	11	1816	859	19.4	2.13	876.30
	169	16	2757	1308	24.6	3.17	1107.20
	219	21	3654	1686	27.0	4.26	1338.30
1840	119	11	2075	982	21.7	2.39	984.40
	169	16	3150	1494	27.6	3.56	1240.00
	219	21	4176	1927	30.3	4.79	1563.30
2040	119	11	2335	1105	24.1	2.66	1101.80
	169	16	3544	1681	30.6	3.96	1380.80
	219	21	-	-	-	-	-

EN442 output at 20°C room temperature

HEIGHT 600 - WT WALL MODEL - OUTPUTS & PRICES

GUAR.060 LLL Dep.233/WT

L mm	TWIN				WEIGHT	WATER CONTENT	PRICE
	Depth mm	Type	Watts 75/65	Watts 55/45	kg	l	£ st. colour
440	119	11	277	133	5.8	0.53	399.40
	169	16	425	204	7.2	0.79	468.70
	219	21	593	273	8.8	1.06	550.00
640	119	11	554	266	8.4	0.80	468.00
	169	16	850	409	10.5	1.19	556.50
	219	21	1187	547	12.9	1.60	662.20
840	119	11	831	399	11.0	1.06	573.70
	169	16	1275	613	13.8	1.58	691.40
	219	21	1780	821	16.9	2.13	832.90
1040	119	11	1108	532	13.6	1.33	664.20
	169	16	1700	818	17.1	1.98	808.00
	219	21	2374	1095	20.9	2.66	982.80
1240	119	11	1385	665	16.2	1.60	741.80
	169	16	2125	1022	20.3	2.38	909.10
	219	21	2967	1368	24.9	3.19	1113.50
1440	119	11	1662	798	18.9	1.86	835.20
	169	16	2550	1226	23.6	2.77	1027.20
	219	21	3560	1642	28.9	3.72	1263.20
1640	119	11	1939	931	21.5	2.13	940.00
	169	16	2975	1431	26.9	3.17	1163.10
	219	21	4154	1916	33.0	4.26	1386.10
1840	119	11	2216	1064	24.1	2.39	1045.90
	169	16	3400	1635	30.2	3.56	1303.10
	219	21	4747	2189	37.0	4.79	1623.40
2040	119	11	2493	1197	26.7	2.66	1171.40
	169	16	3825	1840	33.5	3.96	1448.30
	219	21	-	-	-	-	-

EN442 output at 20°C room temperature

HEIGHT 400 - FT FLOOR MODEL - OUTPUTS & PRICES

GUAR.040 LLL Dep.233/FT

L mm	TWIN				WEIGHT	WATER CONTENT	PRICE
	Depth mm	Type	Watts 75/65	Watts 55/45	kg	l	£ st. colour
440	119	11	193	90	3.4	0.53	509.70
	169	16	277	128	4.5	0.79	550.80
	219	21	339	160	6.9	1.06	593.60
640	119	11	385	179	4.9	0.80	549.60
	169	16	553	256	6.6	1.19	603.10
	219	21	677	320	10.0	1.60	662.20
840	119	11	578	269	6.5	1.06	616.30
	169	16	830	384	8.7	1.58	687.80
	219	21	1016	481	13.1	2.13	767.50
1040	119	11	770	358	8.0	1.33	672.00
	169	16	1106	512	10.7	1.98	760.80
	219	21	1354	641	16.2	2.66	861.30
1240	119	11	963	448	9.6	1.60	718.70
	169	16	1383	640	12.8	2.38	822.80
	219	21	1693	801	19.3	3.19	941.70
1440	119	11	1156	537	11.1	1.86	803.00
	169	16	1660	768	14.8	2.77	922.80
	219	21	2032	961	22.5	3.72	1060.20
1640	119	11	1348	626	12.6	2.13	892.30
	169	16	1936	896	16.9	3.17	1019.90
	219	21	2370	1121	25.6	4.26	1146.90
1840	119	11	1541	716	14.2	2.39	949.30
	169	16	2213	1024	19.0	3.56	1111.70
	219	21	2709	1282	28.7	4.79	1301.30
2040	119	11	1733	805	15.7	2.66	1082.90
	169	16	2489	1152	21.0	3.96	1252.60
	219	21	-	-	-	-	-

EN442 output at 20°C room temperature

HEIGHT 500 - FT FLOOR MODEL - OUTPUTS & PRICES

GUAR.050 LLL Dep.233/FT

L mm	TWIN				WEIGHT	WATER CONTENT	PRICE
	Depth mm	Type	Watts 75/65	Watts 55/45	kg	l	£ st. colour
440	119	11	221	103	4.0	0.53	525.40
	169	16	320	149	5.2	0.79	569.10
	219	21	377	176	7.1	1.06	612.80
640	119	11	442	206	5.8	0.80	568.60
	169	16	639	297	7.6	1.19	624.00
	219	21	754	352	10.4	1.60	679.10
840	119	11	663	309	7.6	1.06	638.10
	169	16	959	445	10.0	1.58	712.30
	219	21	1132	529	13.6	2.13	786.70
1040	119	11	884	412	9.4	1.33	696.10
	169	16	1278	593	12.4	1.98	788.40
	219	21	1509	705	16.9	2.66	880.70
1240	119	11	1105	515	11.2	1.60	746.70
	169	16	1598	742	14.8	2.38	854.00
	219	21	1886	881	20.1	3.19	961.20
1440	119	11	1326	618	13.0	1.86	837.00
	169	16	1918	890	17.1	2.77	959.10
	219	21	2263	1057	23.3	3.72	1081.30
1640	119	11	1547	720	14.8	2.13	924.00
	169	16	2237	1039	19.5	3.17	1051.70
	219	21	2640	1233	26.6	4.26	1178.90
1840	119	11	1768	823	16.6	2.39	989.70
	169	16	2557	1187	21.9	3.56	1153.50
	219	21	3018	1410	29.8	4.79	1317.60
2040	119	11	1989	926	18.4	2.66	1124.40
	169	16	2876	1335	24.3	3.96	1295.60
	219	21	-	-	-	-	-

EN442 output at 20°C room temperature

HEIGHT 600 - FT FLOOR MODEL - OUTPUTS & PRICES

GUAR.060 LLL Dep.233/FT

L mm	TWIN				WEIGHT	WATER CONTENT	PRICE
	Depth mm	Type	Watts 75/65	Watts 55/45	kg	l	£ st. colour
440	119	11	247	115	4.5	0.53	540.70
	169	16	358	167	5.9	0.79	584.80
	219	21	419	193	8.1	1.06	632.70
640	119	11	493	230	6.6	0.80	586.00
	169	16	716	333	8.6	1.19	643.00
	219	21	839	387	11.7	1.60	705.60
840	119	11	740	345	8.7	1.06	659.40
	169	16	1075	501	11.3	1.58	734.70
	219	21	1258	580	15.4	2.13	818.60
1040	119	11	986	460	10.7	1.33	721.10
	169	16	1433	667	13.9	1.98	814.00
	219	21	1678	774	19.0	2.66	918.70
1240	119	11	1233	575	12.8	1.60	775.20
	169	16	1791	834	16.6	2.38	882.90
	219	21	2097	967	22.7	3.19	1005.70
1440	119	11	1480	691	14.8	1.86	868.60
	169	16	2149	1001	19.3	2.77	992.50
	219	21	2516	1160	26.4	3.72	1133.90
1640	119	11	1726	805	16.9	2.13	955.90
	169	16	2507	1168	22.0	3.17	1099.20
	219	21	2936	1353	30.0	4.26	1242.60
1840	119	11	1973	921	19.0	2.39	1028.50
	169	16	2866	1335	24.7	3.56	1194.70
	219	21	3355	1547	33.7	4.79	1388.00
2040	119	11	2219	1036	21.0	2.66	1164.90
	169	16	3224	1501	27.3	3.96	1343.90
	219	21	-	-	-	-	-

EN442 output at 20°C room temperature

HEIGHT 700 - FT FLOOR MODEL - OUTPUTS & PRICES

GUAR.070 LLL Dep.233/FT

L mm	TWIN				WEIGHT	WATER CONTENT	PRICE
	Depth mm	Type	Watts 75/65	Watts 55/45	kg	l	£ st. colour
440	119	11	270	126	5.2	0.53	555.90
	169	16	393	184	6.6	0.79	600.50
	219	21	-	-	-	-	-
640	119	11	540	253	7.5	0.80	603.30
	169	16	786	367	9.5	1.19	662.20
	219	21	-	-	-	-	-
840	119	11	810	379	9.8	1.06	680.60
	169	16	1179	551	12.5	1.58	757.00
	219	21	-	-	-	-	-
1040	119	11	1080	505	12.2	1.33	745.50
	169	16	1572	734	15.5	1.98	839.30
	219	21	-	-	-	-	-
1240	119	11	1350	632	14.5	1.60	803.60
	169	16	1965	918	18.5	2.38	911.70
	219	21	-	-	-	-	-
1440	119	11	1620	758	16.9	1.86	900.20
	169	16	2358	1102	21.5	2.77	1025.70
	219	21	-	-	-	-	-
1640	119	11	1890	884	19.2	2.13	987.90
	169	16	2751	1285	24.4	3.17	1146.90
	219	21	-	-	-	-	-
1840	119	11	2160	1011	21.5	2.39	1067.00
	169	16	3144	1469	27.4	3.56	1235.90
	219	21	-	-	-	-	-
2040	119	11	2430	1137	23.9	2.66	1205.80
	169	16	3537	1652	30.4	3.96	1392.30
	219	21	-	-	-	-	-

EN442 output at 20°C room temperature

HEIGHT 800 - FT FLOOR MODEL - OUTPUTS & PRICES

GUAR.080 LLL Dep.233/FT

L mm	TWIN				WEIGHT	WATER CONTENT	PRICE
	Depth mm	Type	Watts 75/65	Watts 55/45	kg	l	£ st. colour
440	119	11	291	136	5.8	0.53	570.00
	169	16	425	199	7.2	0.79	618.10
	219	21	517	232	9.6	1.06	670.70
640	119	11	582	273	8.4	0.80	621.70
	169	16	849	398	10.5	1.19	683.30
	219	21	1035	465	14.0	1.60	750.60
840	119	11	874	410	11.0	1.06	702.50
	169	16	1274	597	13.8	1.58	780.80
	219	21	1552	697	18.4	2.13	867.90
1040	119	11	1165	546	13.6	1.33	767.60
	169	16	1698	796	17.1	1.98	866.60
	219	21	2070	930	22.8	2.66	978.50
1240	119	11	1456	683	16.2	1.60	830.70
	169	16	2123	995	20.3	2.38	942.00
	219	21	2587	1162	27.2	3.19	1068.40
1440	119	11	1747	819	18.9	1.86	934.90
	169	16	2548	1194	23.6	2.77	1062.40
	219	21	3104	1395	31.5	3.72	1207.20
1640	119	11	2038	955	21.5	2.13	1003.80
	169	16	2972	1393	26.9	3.17	1178.90
	219	21	3622	1628	35.9	4.26	1354.30
1840	119	11	2330	1092	24.1	2.39	1107.20
	169	16	3397	1592	30.2	3.56	1277.50
	219	21	4139	1860	40.3	4.79	1473.70
2040	119	11	2621	1229	26.7	2.66	1241.60
	169	16	3821	1790	33.5	3.96	1435.20
	219	21	-	-	-	-	-

EN442 output at 20°C room temperature

VALVES, TRV HEADS AND ACCESSORIES

OUR SPECIALLY SHORTENED VALVES CAN BE CONCEALED WITHIN THE STANDARD CASING. OTHER VALVES MAY BE PARTIALLY VISIBLE.

SLEEVE COUPLING M24

Copper Tube

CODE	Tube Ø
5094.110	10/1
5094.115	15/1

Steel Tube for C.H

CODE	Tube Ø
5094.501	1/2"

Please note other couplings are available on request.

SLEEVE COUPLING 1/2"

Copper Tube

CODE	Tube Ø
5098.110	10/1
5098.115	15/1


Steel Tube for C.H

CODE	Tube Ø
5094.502	1/2"

Please note other couplings are available on request.

PENCIL PROOF GRILLE

Same colour as casing.



CODE	H	L	D	Colour
5606	000	064*	119	

*to suit casing length

ARTHRITIC AID



CODE
5090.ARTH


JAGA PRO THERMOSTATIC VALVE (for Guardian WT only)



- with pre-setting
- for connection to the floor
- for two pipe
- complies to European standard EN 215.1

CODE	Description	Price £
5094.4414	Jaga Pro Thermostatic Valve (M24)	71.80
5090.1125	TRV Head (White)	44.70


JAGA THERMOSTATIC VALVE - WALL (suitable for all LST Radiators)



Consists of the following :


- 5090.407 Type 06 Angled TRV
- 5090.111 Type 06 Angled Lockshield Valve
- 5090.1125 White TRV Head
- Adaptors to suit 15mm copper pipe as standard

To suit pipework to wall (Same end 20/70 connections).



CODE	Description	Price £
5090.407	Jaga Type 06 TRV (M24)	31.10
5090.111	Angled Type 06 Lockshield Valve (M24)	17.60
5090.1125	TRV Head (White)	44.70


JAGA THERMOSTATIC VALVE - FLOOR (suitable for all LST Radiators)



Consists of the following :

- 5090.405 Angled TRV
- 5090.109 Straight Lockshield Valve
- 5090.1125 White TRV Head
- Adaptors to suit 15mm copper pipe as standard

To suit pipework from the floor (Same end 20/70 connections).



CODE	Description	Price £
5090.405	Jaga Angled TRV (1/2")	31.10
5090.109	Straight Lockshield Valve (1/2")	18.10
5090.1125	TRV Head (White)	44.70


HIGH LEVEL JAGA TOP VALVE



Consists of the following :

- 5090.13001 High Level TRV Set (including valve, capillary & head)
- 5090.1125 White TRV Head
- Adaptors to suit 15mm copper pipe as standard
- 5090.109 Straight Lockshield Valve (to floor)
- OR
- 5090.110 Angled Lockshield Valve (to wall)

To suit pipework from the floor or wall (Same end 30/60 connections).



CODE	Description	Price £
5090.13001	Jaga High Level TRV Set (1/2")	159.30
5090.110	Angled Lockshield Valve (1/2") (Wall)	17.60
5090.109	Straight Lockshield Valve (1/2") (Floor)	18.10

TRV HEADS



CODE
5090.1125



CODE
5090.1150



CODE
5090.1151



CODE
5090.1152



CODE
5090.1161

CODE	Description	Price £
5090.1125	White (Heating)	44.70
5090.1150	White (Heating)	57.40
5090.1151	Chrome (Heating)	89.80
5090.1152	Silver (Heating)	63.90
5090.1161	Heimeier Thermostatic Head HC (Heating + Cooling)	91.50

EN442 output at 20°C room temperature

GUARDIAN WT WALL MODEL - PARTS


CASINGS WALL MODEL (.../WT)				
	Height	400	500	600
L	Depth	£	£	£
440	119	146.10	166.10	185.80
	169	160.20	183.50	203.40
	219	186.30	214.30	232.70
640	119	169.80	194.90	219.40
	169	186.40	214.30	238.80
	219	219.60	251.50	275.40
840	119	203.40	234.20	263.80
	169	223.50	256.80	286.90
	219	268.80	304.90	334.20
1040	119	231.20	267.10	302.10
	169	254.90	292.90	328.20
	219	311.10	352.70	385.60
1240	119	260.60	302.10	340.70
	169	286.90	329.80	369.90
	219	353.50	397.50	436.50
1440	119	291.70	338.00	383.20
	169	320.20	369.40	414.60
	219	396.40	430.60	489.60
1640	119	331.40	376.90	423.10
	169	357.40	409.60	453.70
	219	433.50	468.40	540.70
1840	119	358.00	413.70	468.40
	169	393.30	452.10	508.50
	219	496.30	557.40	611.50
2040	119	415.10	474.00	527.40
	169	445.50	497.10	564.90
	219	-	-	-

HEAT EXCHANGER WALL MODEL (.../WT)				
	Height	400	500	600
L	Depth	£	£	£
440	119	205.40	208.10	213.30
	169	255.70	261.80	265.60
	219	306.30	315.90	317.60
640	119	240.50	243.40	248.50
	169	307.30	313.00	317.60
	219	374.00	382.70	386.70
840	119	302.30	305.00	310.10
	169	394.30	400.10	404.60
	219	486.50	495.20	498.60
1040	119	353.90	356.80	362.20
	169	469.80	475.90	479.70
	219	585.70	594.60	597.20
1240	119	393.30	396.20	401.30
	169	529.10	534.70	539.00
	219	664.80	673.20	677.00
1440	119	440.10	445.40	452.10
	169	597.50	605.80	612.80
	219	755.10	783.70	773.60
1640	119	497.10	499.60	517.00
	169	694.00	697.80	709.40
	219	841.20	869.90	845.60
1840	119	565.40	570.40	577.70
	169	779.40	788.10	794.70
	219	993.70	1005.70	1011.90
2040	119	622.80	628.20	644.30
	169	865.00	883.80	883.80
	219	-	-	-

Casings Ordering Code

Product Height Length Depth Colour Model
CGUA 040 044 119 233 /WT

Standard delivery is: colour 233, grille, single piece casing



Heat Exchanger Ordering Code

Product Height Length Depth Model
HGUA 040 044 119 /WT

Standard delivery is: heat exchanger, wall brackets, air vent, drain plug

EN442 output at 20°C room temperature

GUARDIAN FT FLOOR MODEL - PARTS


CASINGS FLOOR MODEL (.../FT)						
	Height	400	500	600	700	800
L	Depth	£	£	£	£	£
440	119	312.30	326.20	338.80	351.40	362.60
	169	321.70	337.00	350.10	362.40	376.40
	219	332.90	354.10	364.90	-	394.60
640	119	329.40	345.90	361.60	376.10	391.80
	169	340.40	358.30	374.10	390.00	407.70
	219	356.60	376.10	392.90	-	429.50
840	119	355.60	375.50	394.50	413.10	431.70
	169	367.90	390.20	409.30	428.30	449.30
	219	388.90	409.90	431.90	-	475.00
1040	119	377.40	399.60	422.10	445.40	466.10
	169	391.80	417.00	439.30	461.10	485.60
	219	418.00	439.40	468.40	-	517.60
1240	119	398.10	424.50	450.30	476.40	500.90
	169	415.00	443.30	469.50	495.20	522.00
	219	446.50	468.00	503.90	-	557.70
1440	119	420.80	451.30	479.90	507.10	537.90
	169	439.30	471.50	500.90	529.30	560.60
	219	475.10	500.20	539.80	-	600.80
1640	119	481.80	498.90	516.30	537.20	541.90
	169	489.50	504.60	527.70	569.50	595.40
	219	504.60	519.40	570.20	-	669.90
1840	119	485.60	522.30	557.70	592.50	628.50
	169	508.70	547.60	583.90	620.00	656.80
	219	559.70	579.30	636.60	-	711.40
2040	119	584.70	607.20	629.10	652.60	670.40
	169	601.50	621.80	645.00	680.30	710.40
	219	-	-	-	-	-

HEAT EXCHANGER FLOOR MODEL (.../FT)						
	Height	400	500	600	700	800
L	Depth	£	£	£	£	£
440	119	197.40	199.40	201.80	204.30	207.30
	169	229.10	232.20	234.80	238.10	241.60
	219	260.60	258.30	268.10	-	275.90
640	119	220.10	222.80	224.30	227.20	229.90
	169	262.90	265.70	268.70	272.20	275.50
	219	305.80	303.00	312.80	-	321.30
840	119	260.90	262.90	264.90	267.60	270.70
	169	319.80	322.10	325.50	328.50	331.50
	219	378.70	376.50	386.30	-	392.20
1040	119	294.80	296.60	299.00	300.40	301.70
	169	369.00	371.70	374.30	377.80	381.20
	219	443.10	441.40	450.30	-	460.80
1240	119	320.60	322.10	324.70	327.10	329.70
	169	407.80	410.50	413.30	416.90	420.10
	219	495.20	493.40	501.70	-	510.70
1440	119	382.10	385.70	388.80	393.00	396.90
	169	483.20	487.70	491.20	496.40	501.50
	219	584.70	581.20	594.00	-	605.90
1640	119	410.40	425.20	439.70	450.70	461.50
	169	530.20	546.80	571.40	577.80	583.50
	219	642.50	659.70	672.30	-	684.40
1840	119	463.90	467.30	470.60	474.70	479.00
	169	602.70	605.90	611.00	616.00	620.70
	219	741.70	738.30	751.40	-	762.60
2040	119	498.20	517.30	535.90	553.40	570.90
	169	651.30	673.90	698.70	712.00	724.90
	219	-	-	-	-	-

Casings Ordering Code

Product Height Length Depth Colour Model
CGUA 040 044 169 233 /FT

Standard delivery is: colour 233, grille, single piece casing



Heat Exchanger Ordering Code

Product Height Length Depth Model
HGUA 040 044 169 /FT

Standard delivery is: heat exchanger, wall brackets, air vent, drain plug

PENCIL-PROOF GRILLE			
L	Depth	Code	Price £
640	119	5606.00006010	52.30
	169	5606.00006015	58.70
840	119	5606.00008010	61.30
	169	5606.00008015	69.70
1040	119	5606.00010010	71.50
	169	5606.00010015	81.90
1240	119	5606.00012010	81.00
	169	5606.00012015	93.60

L	Depth	Code	Price £
1440	119	5606.00014010	89.80
	169	5606.00014015	104.20
1640	119	5606.00016010	99.60
	169	5606.00016015	116.00
1840	119	5606.00018010	109.10
	169	5606.00018015	127.30
2040	119	5606.00020010	118.90
	169	5606.00020015	139.50

EN442 output at 20°C room temperature



☎ +44 1531 631 533
✉ jaga@jaga.co.uk
🌐 www.jaga.co.uk

📍 **JAGA UK**
Kriekels House,
Lower Road Trading Estate, Ledbury,
Herefordshire HR8 2DJ

Notes relative to price list

1. May be subject to alteration without prior notification
2. List prices subject to trading terms
3. Does not include delivery
4. Subject to VAT at the prevailing rate